

PRODUCT INFORMATION

Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective. / WEEE-Reg.-No. DE 69718127

DESIGN

CONSTRUCTIVE DESIGN

All the materials used correspond to the requirements according to RAL-GZ 430/4.

Fully upholstered suite, metal base frame

Seat upholstery structure: rubber straps, polystyrene foam VW 40, Diolen

Back upholstery structure: rubber straps, polystyrene foam, Diolen

UPHOLSTERY CASUAL / LOOSE

With casual upholsteries you are rather sitting "in the sofa" than on it, the upholstery snuggles. A casual/loose upholstery is characterized by a smooth upholstery structure. The cover is not waveless. The ridge of the covers on the seat, back and the armrests as well as sitzmarks due to model and design are typical.

Slight differences in seat firmness with add-on groups are according to construction and therefore constitute no reason for complaint.

BACK TENSIONING SECTIONS

All back tensioning sections are supplied as standard with the original cover.

STANDARD FUNCTIONS

FUNCTIONAL HEAD PIECE

The head piece can be adjusted (manual) by a bearing that allows different positions.



FREE MOTION models allow latitude referring to functional control: Seat adjustment as well as adjustment of leg part and sideward movement are controled via sidewise fixed sensors on the cover (motor-driven adjustment).

INSIDE at the seat for sideward movement to the left and right




OUTSIDE at the seat for seat adjustment (seat. back and leg part)



ELEMENTS WITH EPOS 1, EPOS 2, EPOS 3

FUNCTIONAL ELEMENT C with slidable and turnable seat as well as seat adjustment

The leg part and the back can be infinitely adjusted separate of each other via motor. The handling is carried out by the sidewise (outside of the seat) fitted 4 buttons.



In addition both seats are manually turnable up to 320° to the left and to the right.

FUNCTIONAL ELEMENT T with slidable and turnable seat as well as seat adjustment

The leg part and the back can be infinitely adjusted separate of each other via motor. The handling is carried out by the sidewise (outside of the seat) fitted 4 buttons. In addition to the seat adjustment the seat can be moved to the left respectively to the right via 2 further buttons at the in-

side of the seat. The thereby enlarged space left respectively right of approx. 28 cm can be used as shelf.

In addition both seats are manually turnable up to 320° to the left and to the right.



Ω



EPOSPRODUCT INFORMATION

Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

ELEMENTS WITH EPOS 4 AND EPOS 5

FUNCTIONAL ELEMENT with movable and turnable seats as well as seat adjustment

The leg part and the back can be adjusted separately of each other via motor. The handling is carried out by the sidewise (outside at the seat) fitted 4 buttons. In addition to the seat adjustment both seats can be moved independently of each other to the left respectively to the right by 2 further buttons at the inside of the seat. The space of respectively approx. 28 cm arisen out of it can be used as shelf.



EPOS 4

C1 / C2 / C3

In addition the seats are manually turnable up to 320° to the left and to the right.

FUNCTION BLUETOOTH OPTIONAL

Alternative to the adjustment via TOUCH-IT sensors it's possible to control the electrical functions (seat, back, leg part and sideward movement) via **Bluetooth - BLT**.

The individual functions are adjusted using the included remote control. The control is fixed via an incorporated magnet sidewise in the seat.

In addition, a control unit consisting of two sensor buttons is installed on the outside of the seat. These are necessary in order to be able to adjust the seat units even if the remote control is dropped, lost or defective.

ding item on the respective price sheet.



FUNCTIONAL ARMCHAIR

FUNCTIONAL ARMCHAIR VM2 with rotatable seats as well as seat adjustment

Leg part and back can be infinitely adjusted independently of each other via motor. The handling is effected by sidewise (at the outside of the seat) fixed buttons (4 pieces).



The motor can be actuated optionally by **mains current** or with a **rechargeable battery**.

Extra charge battery: 902,-

back can be moved together into a reclined position.

The extra charge for Bluetooth - BLT is assigned to the correspon-

If the front button is pressed and held, the seat unit returns into

If the rear sensor button is constantly pressed, the leg part and

the starting position (back raised and leg part retracted).

Please charge the battery completely before first use.

The tethered functional armchair (with mains current) has a turn limiter. This avoids that the electric cable wraps around the frame. Rotatability of this version is 320° . With rechargeable battery actuated version the functional armchair is rotatable by maximum 360° .

Metal rotary spray (5-arm) optionally available in:

- aluminium mat (satined)
- powder-coated structural black mat



Assistance system to reduce crushing hazard and risk of injury

Please note: The add-on elements of EPOS 1, EPOS 2

and EPOS 3 can't be combined with each other!

For safety reasons the sofa is equipped with an assistance system to reduce the crushing hazard and risk of injury. This assistance system is avoiding the driving on of the power units in case of blockade of the functional parts. The power units are stopping in case of blockade and move in the opposite direction approx. 2 seconds.

When this deactivation is arising make sure that there are no persons respectively objects in the radius of movement before further handling.

POSSIBLE COMBINATIONS

SAFETY INSTRUCTIONS



EPOS PLATEAU

PRODUCT INFORMATION

Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

PLATEAU SURFACES

Below you may find a general list of the individual plateau surfaces.

Please refer to pages 3 and 4 for exact assignment per element.

WOOD VENEER

Only the high-quality trunks and therefore the smallest part of the total felling can be used for the furniture construction. That applies to the use of the trunk for veneer production, too. The choice of wood is done selectively according to the requests typical for furniture.

In contrast to solid wood veneered surfaces are less sensitive to variabilities of temperature and dampness.

Veneered surfaces are protected. This makes the care especially easy and exerts the beauty of the material.

SOLID WOOD

Wood is an agile material and reacts to the room climate, i.e. it absorbs dampness of the air and dispenses it again. As a basic principle wood has the characteristic to act naturally (to expand/decrease). The technical processing shows natural characteristics; dimensional tolerances are possible. These characteristics constitute no grounds of complaint.

Beam oak UV laminated with oil effect: Beam oak is no special kind of oak, but the name should make clear that it is a matter of specific sort of oak. Solely oak trunks that have grown in special areas and possesses as much as possible branches will be used. Different congeries of branches and knotholes in different sizes are typical characteristics. Reworked respectively ground wind shocks and nicks as well as cross cracks in branches, grain wood cracks or growth cracks render a wide colour spectrum and are typical for beam oak.

The plateaus are optionally available in:

- walnut (UV laminated with oil effect)
- beam oak
 (UV laminated with oil effect)
 - against extra charge see price sheet





Plateau in STONE OPTICS GRAPHITE



PLATEAU AND LEGS WITH EPOS 1

EPOS 1 - Plateau clear of ground covered with metal legs powder-coated black mat

Plateau can be chosen independently of the seats in all covering materials of the current Collection.



With combination of two covering materials of a different price (seats and plateau) the higher price category will be invoiced as standard.

Fabric- and leather requirement of the plateaus on request.

PLATEAU AND LEGS WITH EPOS 2

EPOS 2 - Plateau clear of ground

with metal runner powder-coated black mat.

Plateau optionally available in:

WOOD VENEER (UV laminated with oil effect)



- walnut
- beam oak against extra charge see price list

PLATEAU AND LEGS WITH EPOS 3

EPOS 3 - Plateau near ground

with metal legs powder-coated black mat.

Plateau optionally available in:

WOOD VENEER (UV laminated with oil effect)

- walnut
- beam oak against extra charge see price list





EPOS PLATEAU

PRODUCT INFORMATION

Please also note our general details and sales information

Edition 28.08.2024

PLATEAU AND LEGS WITH EPOS 4

EPOS 4 - plateau clear of ground

Element C1 - solid wooden frame with inlay covered with metal runners powder-coated black mat

Frame (UV laminated with oil effect) optionally available in:

- walnut solid
- beam oak solid

Inlay covered: The inlay can be chosen independently of the seats in all covering materials of the current collection:

Element C2 - frame covered with inlay wood veneer with metal runners powder-coated black mat

The frame can be chosen independently of the seats in all covering materials of the current collection.

The inlay in wood veneer (UV laminated with oil effect) is optionally available in:

- walnut
- beam oak

Please note: The element C2 with covered frame can't be produced with covered inlay!

ELEMENT C3 - plateau stone optics graphite with metal runners powder-coated black mat



PLATEAU AND LEGS WITH EPOS 5

EPOS 5 - plateau clear of ground

Element C4 - wood veneer with bark inlay with metal runner powder-coated black mat

Plateau optionally available in:

WOOD VENEER (UV laminated with oil effect)

- walnut
- beam oak against extra charge see price list

The application made out of oak bark is worked in the middle of the plateau and covered by a glass plate (bronzed, toned).

The glass plate is tempered safety glass.

In addition an indirect lighting is integrated. It can be powered on via TOUCH-IT switch (mains current) if desired.

The TOUCH-IT switch is placed centrally ahead of the glass plate on the plateau.

PLATEAU HEIGHT AND CLEARANCE HEIGHT

EPOS 1 and EPOS 5

The total height of the plateau (incl. leg) is approx. $18\ cm$ and the clearance height is approx. $10\ cm$.

EPOS 2 and EPOS 4

The total height of the plateau (incl. leg) is approx. $18\ \text{cm}$ and the clearance height is approx. $12\ \text{cm}$.

EPOS 3

The total height of the plateau (incl. leg) is approx. 18 cm and the clearance height is approx. 4 cm.



EPOSPRODUCT INFORMATION

Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

LOAD CAPACITY

Please note: Each seat can be weighted with maximum 130 kg body weight. Therefore only one person should sit on a seat.



The weight carrying capacity of functional parts is limited and not designed for load with the body weight (max. 30 kg). The moved out leg part as well as the adjustable functional back must not be used as seat.

COMBINATION OF COVERING MATERIALS

If desired two different covering materials can be combined with the seats.


Here must be indicated the respectively desired covering material with cover part 1 and cover part 2.

With combination of two covering materials of a different price the higher price category will be invoiced as standard.

Please note: Due to production-related reasons our NATURO leather can't be produced in combination of covers!

Fabric - and leather requirements of each cover part on request.

cover part 1: seat and back









EPOSPRODUCT INFORMATION

Please also note our general details and sales information

Edition 28.08.2024

SOUNDSYSTEM (SS)

Optional sound system with control via Bluetooth (SS).

Your suite gets an entertainment center with this sound system. The system is equipped with a Bluetooth audience and 2 corpus sound converter (exciter).


The plateau converts into a resonator for music playback via exciters.

Choice and volume of the music can be controlled by Smartphone , tablet or laptop wireless via Bluetooth.

Performance: Stereo

Power input: operation with 2 exciters: 30 W

Stand-by: less than 0,3 W Output: amplifier power 20 W Tuning range: ca. 10 m The position marked in the pictogram with a star is emblematising the **position** of the **mediastation** on the respective plateau respectively on the table:



Functional element 2-seats (EPOS 1-3 = C) (EPOS 4 = C1/C2/C3) (not possible with EPOS 5 C4)



Functional element (T - only with EPOS 1-3)



MEDIA STATION (MS)

Media station with integrated socket, USB loading station and Qi loading function (MS).

- Socket: VDE-standardized, 16 A, with protection against contact
- USB loading station: Loading function for commercial equipment with USB connection as e.g. Smartphone, MP3 player, Apple products and other mobile equipment.
- QI loading function: Wireless loading of battery operated equipment as Smartphones, iPods, MP3 players etc.
 The wireless power transmission is effected by use of electromagnetic fields. A Qi transmitter (loading station) is transfering the needed energy to a Qi receptor (mobile phone). Each Qi compatible equipment can be operated by the Qi compatible loading station.

Handling: Place the mobile phone in the center of the symbol. The start of the loading process is confirmed by an acoustical signal.



PRODUCT INFORMATION

Please also note our general details and sales information


Edition 28.08.2024

LED-LIGHTING (LED)

Optional under-floor light via LED. It is setting a course of light and is bringing out the room atmosphere of the suite. The gentle, even light is effectively, energy-efficient and shadowless reflected from the floor. You can choose between 16 different colours or four different effects of light variations with additional dim function.

The LED-LIGHTING is an accessory that is fitted in our factory. Therefore the specified price is valid for a fitting at the factory.

The LED LIGHTING is controlled by an included infrared light remote control. Please note: For efficient functionality an intervisibility between the transmitter, so the infrared light remote control, and the receiver at the suite is necessary. The receiver is always fixed below a corner of the suite.



The quickness of the colour change programs FLASH, STROBE, FADE and SMOOTH can be accelerated respectively retarded by



the following buttons:



working voltage: 12V DC (mains adapter)

outlets: RGB distributor, control version: common anode charging rate controller: < 1W output current: max. 2A per chanel output power: < 72W (24W per chanel)

Electric supply via normal 12V wall wart with a 2,1* 5,5 cm coaxconnector.

Operating voltage 100-240 VAC

ACCESSORIES - APPLICATIONS

With the below mentioned elements the following accessories are available:

EPOS 1 - 3: C, T EPOS 4: C1, C2 and C3

- Bluetooth function control **BLT** (incl. remote control at the seat)
- Soundsystem SS
- Mediastation MS
- LED-lighting with colour change LED

EPOS 5 - C4

- Bluetooth function control **BLT** (incl. remote control at the seat)
- Soundsystem SS
- LED-lighting with colour change LED

Please note: Always only 1 cable is fitted per element (even with several accessory articles per element)!



France and amendments excepted Our General Terms and Conditions are effective

EPOS PRODUCT INFORMATION

Please also note our general details and sales information

Edition 28.08.2024

ARMREST CUSHION (YA2)

With all elements armrest cushion **YA2** insertable by brackets.

The bracket is upholstered and covered in the respectively desired covering material.



NECK CUSHION (YN)

Counter weight

without magnet, cushion fixation via an affixed counter weight.



SEAM

Depending on the model, the seam on leather covers may be different from fabric covers, especially on fitted items. Decorative leather seam (as felled seams or double seams) may be omitted depending on the model according to suitability of the fabric covering material.

The model is only worked with selvedge seam.

COVERING MATERIALS

You may find the information concerning the specific properties of the covering materials on the sample labels.

INDICATIONS OF DIMENSIONS AND REQUIREMENTS

All the values given are approximate values: dimensions in centimetres, material requirements in metres, leather requirements in square metres.

ORDER CHECK LIST

Please pay attention to the following issues respectively to complete specification when ordering:

- combination (Attention: The add-on elements of EPOS 1-3 can't be combined with each other!)
- covering material, with combination of covering materials covering material per cover part (in general N-NATURO is not possible)
- finish of plateau
- finish of table, if desired
- finish of rotary spray with functional armchair VM2
- Accessory articles if desired (please pay attention to the restrictions)



EPOS 1

RETAIL


11.2024 PRICING

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

Plateau covered clear of ground Exception: Functional armchair on rotary spray VM2 Daybed PL/R: D max. 177, SD 117 cm.

I SINGLE ELEMENTS



Requirement	9,40	4,80	3,50			FABRIC
						뜄
СОМ						0
10						
13						
16						
20						
25						
30						
45						

Requirement	20,30	9,70	7,40			
						LEATHER
СОМ						≧
X						
Α						7
В						
С						
D						
E						
F						
G						
N						
Ex	tra charge for B	luetooth (BL)	Γ):			

By combining two price different covers the more expensive price category will be invoiced as standard:

11.2024 PRICING

Edition 28.08.2024

Neck cush.

Plateau covered clear of ground

I DECORATIVE CUSHIONS / ACCESSORIES

Kidney-

Armr. cush.

Kidney-

	w. selvedge	shaped cushion	shaped cushion	w. bracket covered	w. counter weight
	Y	YC	YE	YA2	YN
N	D 48	D 32	D 32	D 45	D 32
Requirement	1,10	0,90	0,70	0,90	0,80
СОМ					
10 13 16 20					
25 30					
45					

Back cushion

	Requireme	ent					1,70	1,10	1,00	1,10	1,10
í											
	CO	MC									
		X									
1		Α									
		В									
		С									
		D									
		E									
		F									
		G									
		N									
							sive price categ		iced as standa	rd:	
		o a Fahrio 12 fahrio 20 > prico fahrio 20 / Fahrio 16 Josephor P > prico Josephor P									

11.2024 PRICING

Edition 28.08.2024

I ACCESSORY ARTICLES

Media station per item	Soundsystem per item	LED lighting per item
MS m	SS	LED
D 11		

Requirement	
	3
СОМ	į
10	
13	
16	
20	
25	
30	
45	

Requireme	ent
CC)M
	X
	A
	В
	C
	D
	E
	F
	G
	N
	By combining two price different covers the more expensive price category will be invoiced as standard:



EPOS 2

RETAIL

11.2024 PRICING

Edition 28.08.2024

Elitora una uniciramenta excepted. Our deneral ferma una contationa die elicetre.

 $\begin{tabular}{lll} \textbf{Plateau clear of ground} & Exeption: Functional armchair on rotary spray VM2 \\ Daybed PL/R: D max. 177, SD 117 cm. \\ \end{tabular}$

I SINGLE ELEMENTS

	Functional element 2 seats	Functional element	Functional armchair on rotary spray
H min. 63 H max. 112 D min. 115 D max. 168 SD min. 72 SD max. 95 SH 45	<u>C</u> Ω Ω	τΩ	VM2
W	240	120	92

Requirement	6,80	3,50	3,50
СОМ			
10			
13			
16			
20			
25			
30			
45			

	Requiremen	nt 14,70	7,40	7,40
E 1				
	CO	M		
<u> </u>		X		
		Α		
		В		
		С		
		D		
		E		
		F		
		G		
		N		
		Extra charge for	plateau beam o	ak (UV laminated with oil effect):
		Extra charge for	Bluetooth (BLT)):
		By combining tv	vo price differen	t covers the more expensive price category will be invoiced as standard:
		e.g. Fabric 13, f	fabric 20 -> pric	ee fabric 20 / Fabric 16, leather B -> price leather B

11.2024 PRICING

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

Plateau clear of ground

I DECORATIVE CUSHIONS / ACCESSORIES

Back cushion w. selvedge	Kidney- shaped cushion	Kidney- shaped cushion	Armr. cush. w. bracket covered	Neck cush. w. counter weight	
Y	YC	YE	YA2	YN	
D 48	D 32	D 32	D 45	D 32	

		٠	•	
ı	п	V	,	
ч	и	ı		

Requirement			1,10	0,90	0,70	0,90	0,80	
СОМ								7
10								
13								
16								
20								
25								
30								
45								

Requirement			1,70	1,10	1,00	1,10	1,10
COM							
X							
Α							
В							
С							
D							
E							
F							
G							
N							

By combining two price different covers the more expensive price category will be invoiced as standard:

RETAIL

11.2024 PRICING

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

I ACCESSORY ARTICLES

Media station per item			Soundsystem per item	LED lighting per item
		MS	ss	LED
	D	11		
		10		

W

٦	Requirement	
FABRIC		
₹	СОМ	
	10	
	13	
	16	
	20	
	25	
	30	
	45	


	Requiremen	nt
1		
1	CON	M
ξ .		X
		A
	!	В
		C
	!	D
		E
		F
		G
	!	N
		By combining two price different covers the more expensive price category will be invoiced as standard:
		e.g. Fabric 13, fabric 20 -> price fabric 20 / Fabric 16, leather B -> price leather B



RETAIL 11.2024 PRICING Edition 28.08.2024

Plateau near ground Exception: Functional armchair on rotary spray VM2 Daybed PL/R: D max. 177, SD 117 cm.

I SINGLE ELEMENTS



Requirement	6,80	3,50	3,50			_	FABRIC
							뽔
СОМ							<u></u>
10							
13							
16						_	
20							
25							
30							
45							

Requirement	14,70
COM	
Х	
Α	
В	
С	
D	
E	
F	
G	
N	
Ext	tra charge for plateau beam oak (UV laminated with oil effect):
Ext	tra charge for Bluetooth (BLT):
Ву	combining two price different covers the more expensive price category will be invoiced as standard:
e.g	. Fabric 13, fabric 20 -> price fabric 20 / Fabric 16, leather B -> price leather B

RETAIL

11.2024 PRICING

Edition 28.08.2024

Plateau near ground

FABRIC

I DECORATIVE CUSHIONS / ACCESSORIES

Back cushion w. selvedge	Kidney- shaped cushion	Kidney- shaped cushion	Armr. cush. w. bracket covered	Neck cushion w. counter weight
Y	YC	YE	YA2	YN
D 48	D 32	D 32	D 45	D 32
1,10	0,90	0,70	0,90	0,80

		D 46	D 32	D 32	D 43	D 32
W		84	75	60	25	60
Requirement		1,10	0,90	0,70	0,90	0,80
СОМ						
10						
13						
16						
20						
25						
30						
45						

	Requireme	ent						1,70	1,10	1,00	1,10	1,10
	СО	M										
1		X										
		Α										
		В										
		С										
		D										
		Ε										
		F										
		G										
		N										
		Ву с	ombining two	price differ	ent covers	the more	expensive	price catego	ry will be invoi	ced as standa	rd:	

11.2024 PRICING

Edition 28.08.2024

I ACCESSORY ARTICLES

Media station per item	Soundsystem per item	LED lighting per item
MS	SS	LED
D 11		

Requirement	
	3
СОМ	ē
10	
13	
16	
20	
25	
30	
45	

Requirement		
СОМ		
Х		
Α		
В		
С		
D		
E		
F		
G		
N		

By combining two price different covers the more expensive price category will be invoiced as standard:

RETAIL

11.2024 PRICING


Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

Plateau clear of ground

FABRIC

LEATHER



11.2024 PRICING

Edition 28.08.2024

I ACCESSORY ARTICLES

Media station per item	Soundsystem per item	LED lighting per item
MS m	SS	LED
D 11		

Requirement	
COM	
10	
13	
16	
20	
25	
30	
45	

Requireme	ent entered and a second a second and a second a second and a second a second and a
CC	DM
	X
	Ä
	В
	C
	D
	E
	F
	G
	N
	By combining two price different covers the more expensive price category will be invoiced as standard:



EPOS 5

RETAIL 11.2024 PRICING Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effect

Plateau clear of ground

